


Length of ramp will be dictated by the slope of the existing car park surface. Max. gradient to be 1:12. Preferred gradient to be 1:20.

Handrails to both sides of ramp to comprise 40mm dia. galv. metal handrail @ 900mm and 600mm above pitch line of ramp.



40mm dia. galv. metal posts as required.

Handrails to extend min. 300mm beyond end ramp.

Min. 100mm upstand, formed with p.c.c flags on edge.

Ramp and handrails to be in accordance with Approved Document M of the Building Regulations & as per item 13.2 of the schedule of works. Any discrepancies to be reported to the C.A.

<b>Client:</b> Sterling Properties
<b>Project:</b> Hilton House, Lord Street, Stockport
<b>Drawing Title:</b> Proposed access ramp
<b>Scale:</b> 1:50 & 1:100 (A4)
<b>Dwg. No.:</b> M307/04
<b>Date:</b> March 2011
1. Drawing Not to be scaled. 2. Report Errors and Omissions to Architect 3. All dimensions to be checked and verified on site by Principal Contractor 4. Copyright: Roger Hannah and Co.

**ROGER HANNAH & CO**  
 CHARTERED SURVEYORS  
 INDUSTRIAL AND COMMERCIAL  
 PROPERTY AGENTS

<b>Stockport</b> 24-26 Greek St. Stockport, SK3 8AB Tel: 0161 480 8351	<b>Oldham</b> 51 Union St. Oldham, OL1 1HH Tel: 0161624 0020	<b>Manchester</b> Century Buildings, 14 St Marys Parsonage, Manchester, M3 2DF Tel 0161 817 3399
---	---	--